

Clamping screw fittings for Variotherm pipes

3/4" EUROx11.6 clamping screw fitting

PG 100

VarioProFile pipe 11.6x1.5 Laser on 3/4" Eurocone, nickel-plated, with patented plastic clamping ring (captive) and galvanic separation



Part No.	PKU	Weight/PKU	€/pce.
Z1441	1 pce.	75 g	4.10

3/4" EUROx16 clamping screw fitting

PG 100

VarioProFile pipe 16x2 Laser or pre-insulated Variomodular pipe 16x2 on 3/4" Eurocone, nickel-plated, with patented plastic clamping ring (captive) and galvanic separation



Part No.	PKU	Weight/PKU	€/pce.
Z131	1 pce.	75 g	3.80

Insulating grommet

PG 80

For clamping screw fittings, prevents condensation on the clamping screw fittings during cooling



Part no.	PKU	Weight/PKU	€/pce.
VT68	1 Stk.	15 g	1.50

Clamping screw fittings for copper pipes and stainless steel pipes

3/4" EUROxCu15 clamping screw fitting

PG 100

nickel plated, with EPDM sealing element, for \varnothing 15 mm copper pipes as per DIN EN 1057 and \varnothing 15 mm stainless steel pipes as per DIN EN 10312, pipe wall thickness \geq 1 mm



Part No.	PKU	Weight/PKU	€/pce.
Z139	1 pce.	60 g	3.40

3/4" EUROxCu18 clamping screw fitting

PG 100

nickel plated, with EPDM sealing element, for \varnothing 18 mm copper pipes as per DIN EN 1057 and \varnothing 18 mm stainless steel pipes as per DIN EN 10312, pipe wall thickness \geq 1 mm



Part No.	PKU	Weight/PKU	€/pce.
Z136	1 pce.	60 g	3.40

Press-fit couplings for Variotherm pipes

Press-fit couplings

PG 100

TH press-fit contour, incl. galvanic isolation, visual monitoring of insertion depth
Suitable REMS press-fitting jaws: page 44

Part No.	Type	press-fitting jaws	PKU	Weight/PKU	€/pce.
Z1320	16 x 16	TH16	1 pce.	50 g	3.90
Z1610	16 x 11.6	TH16 & TH11.6	1 pce.	45 g	4.50
Z1600	11.6 x 11.6	TH11.6	1 pce.	35 g	4.30



16 x 16



16 x 11.6




11.6 x 11.6

Press-fit brackets 90°


PG 100

TH press-fit contour, incl. galvanic isolation, visual monitoring of insertion depth
Suitable REMS press-fitting jaws: page 44


Part No.	Type	press-fitting jaws	PKU	Weight/PKU	€/pce.
Z1370	16 x 16	TH16	1 pce.	50 g	5.20
Z1620	16 x 11.6	TH16 & TH11.6	1 pce.	45 g	5.70
Z1630	11.6 x 11.6	TH11.6	1 pce.	45 g	5.30



16 x 16



16 x 11.6



11.6 x 11.6

Press-fit T-pieces

PG 100

TH press-fit contour, incl. galvanic isolation, visual monitoring of insertion depth
Suitable REMS press-fitting jaws: page 44

Part No.	Type	press-fitting jaws	PKU	Weight/PKU	€/pce.
Z1380	16 x 16 x 16	TH16	1 pce.	85 g	6.80
Z1650	16 x 11.6 x 16	TH16 & TH11.6	1 pce.	70 g	7.80
Z1660	16 x 11.6 x 11.6	TH11.6	1 pce.	60 g	7.80



16 x 16 x 16



16 x 11.6 x 16



16 x 11.6 x 11.6

Press-fit transition element 16x1/2" male thread

PG 100

TH press-fit contour, incl. galvanic isolation, visual monitoring of insertion depth
Suitable press-fitting jaws: REMS TH16 (page 44)



Part No.	PKU	Weight/PKU	€/pce.
Z1490	1 pce.	60 g	3.60

PKU = packaging unit, PG = product group; all prices excluding sales tax.

Tools for press-fit connectors

Pressing tool, AkkuPress Mini, complete PG 140

REMS AkkuPress Mini Li-Ion, incl. battery charger and 2 rechargeable batteries
Press-fitting jaws TH16 Mini and TH11.6 Mini, sheet steel case



Part No.	PKU	Weight/PKU	€/pce.
W019	1 pce.	9.9 kg	1,374.00
REMS AkkuPress Mini Li-Ion rechargeable battery:			
W019AK	1 pce.	400 g	218.50

Pressing tool, AkkuPress, loan PG 140

The case contains:

REMS AkkuPress + press-fitting jaws TH16 and TH11.6

- Pipe cutting pliers 11.6/16
- Calibration and chamfering tool
- Bending models 16/100, 11.6/77 and 11.6/115

5 working days free of charge

Part No.	PKU	Weight/PKU	€/pce.
W001	1 pce.	14.5 kg	11.00/working day

REMS press-fitting jaws PG 140

Loan: 5 working days free of charge



Part No.	Variant	PKU	Weight/PKU	€/pce.
W025	TH11.6	1 pce.	2.0 kg	119.00
W026 (loan)	TH11.6	1 pce.	2.0 kg	3.50/working day
W024	TH16	1 pce.	2.1 kg	119.00
W027 (loan)	TH16	1 pce.	2.1 kg	3.50/working day

Pressing tool, EcoPress, complete PG 140

REMS Eco-Press, press-fitting jaws TH16 and TH11.6, sheet steel case



Part No.	PKU	Weight/PKU	€/pce.
W015	1 pce.	9.7 kg	476.50

Pressing tool, EcoPress, loan PG 140

The case contains:

REMS Eco-Press, press-fitting jaws TH16 and TH11.6

- Pipe cutting pliers 11.6/16
- Calibration and chamfering tool
- Bending models 16/100, 11.6/77 and 11.6/115

5 working days free of charge

Part No.	PKU	Weight/PKU	€/pce.
W022	1 pce.	10.5 kg	7.50/working day

REMS Mini press-fitting jaws PG 140

Loan: 5 working days free of charge



Part No.	Variant	PKU	Weight/PKU	€/pce.
W031	TH11.6 Mini	1 pce.	1.5 kg	149.00
W033 (loan)	TH11.6 Mini	1 pce.	1.5 kg	4.00/working day
W032	TH16 Mini	1 pce.	1.6 kg	149.00
W034 (loan)	TH16 Mini	1 pce.	1.6 kg	4.00/working day

Tools for the VarioRoll screed floor heating system

Stapler PG 140

For inserting the stapler pins

Loan: 5 working days free of charge



Part No.	PKU	Weight/PKU	€/pce.
W013	1 pce.	2.5 kg	165.00
W014 (loan)	1 pce.	2.5 kg	4.00/working day

Tools for the Compact floor heating systems

30 l bucket PG 140

For mixing the compact filling compound, with clearly visible markings for the correct water level



Part No.	PKU	Weight/PKU	€/pce.
W028	1 pce.	800 g	6.50

Scraper 600 mm PG 140

With telescopic shaft and shaft holder, for spreading the compact filling compound



Part No.	PKU	Weight/PKU	€/pce.
W029	1 pce.	1.0 kg	14.80

Tools for Variotherm pipes

Pipe uncoiler for single-person installation

PG 140

For twist-free unrolling of Variotherm pipes, steel pipe galvanised, can be dismantled

- With upper roller bracket
- Fixable adjusting feet



Loan: 5 working days free of charge

Part No.	PKU	Weight/PKU	€/pce.
W002	1 pce.	11.5 kg	219.00
W005 (loan)	1 pce.	11.5 kg	6.50/working day

Pipe locator (to be discontinued)

PG 140

for finding the pipes for wall heating/cooling systems and ceiling cooling/heating systems, incl. battery



Part No.	PKU	Weight/PKU	€/pce.
Z99	1 pce.	270 g	25.50

Bending model 16/100

PG 140

For VarioProFile pipe 16x2 Laser, pipe spacing 100 mm for easy manual bending



Part No.	PKU	Weight/PKU	€/pce.
V41	1 pce.	65 g	4.90

Bending model 11.6/77

PG 140

For VarioProFile pipe 11.6x1.5 Laser, pipe spacing 77 mm for easy manual bending



Part No.	PKU	Weight/PKU	€/pce.
V46	1 pce.	40 g	4.70

Bending model 11.6/115

PG 140

For VarioProFile pipe 11.6x1.5 Laser, pipe spacing 115 mm for easy manual bending



Part No.	PKU	Weight/PKU	€/pce.
V47	1 pce.	80 g	5.20

Tool set

PG 140

Consisting of:

- Pipe cutting pliers W037
- Calibration and chamfering tool W023
- 3x bending models V41, V46, V47



Part No.	PKU	Weight/PKU	€/pce.
W100	1 set	530 g	72.50

Thermofoil 25 °C - 30 °C

PG 140

For finding the pipes for wall heating systems, ceiling heating systems and floor heating systems. Can only be used during the heating phase.



Dimensions: 300 x 49 mm

Part No.	PKU	Weight/PKU	€/pce.
Z98	1 pce.	10 g	15.50

Pipe locator



PG 140

for finding the pipes for wall heating/cooling systems and ceiling cooling/heating systems, incl. calibration tool and battery



Part No.	PKU	Weight/PKU	€/pce.
Z97	1 pce.	250 g	49.90

Calibration and chamfering tool

PG 140

For VarioProFile pipe 16x2 Laser, VarioProFile pipe 11.6x1.5 Laser, pre-insulated Variomodular pipe 16x2 and Variomodular pipe 11.6x1.5 Laser



Part No.	PKU	Weight/PKU	€/pce.
W023	1 pce.	110 g	25.80

Pipe cutting pliers 11.6/16



PG 140

For trimming VarioProFile pipes and Variomodular pipes



Part No.	PKU	Weight/PKU	€/pce.
W037	1 pce.	230 g	36.60
W0371 (replacement blade)	1 pce.	30 g	21.50

Internal bending spring

PG 140

Bending spring for easy bending of Variotherm pipes at the pipe ends



Part No.	ø [mm]	PKU	Weight/PKU	€/pce.
W018	16.0	1 pce.	160 g	11.50
W016	11.6	1 pce.	95 g	17.50